





































Product Specifications

Tip Configuration	Terminal Type	Size/Length(cm)	Tip Configuration	Terminal Type	Size/Length(cm)
	RH	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		HEADHUNTER 1	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	YAS	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		HEADHUNTER 3	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	RS	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		HEADHUNTER 5	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	RLG	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		HEADHUNTER 6	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	COBRA 1	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		NEWTON 1	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	COBRA 2	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		NEWTON 2	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	COBRA 3	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		NEWTON 3	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	Multifunctional tubeA 1	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		NEWTON 4	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	Multifunctional tubeB 1	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		NEWTON 5	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	SIMMONS 1	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		BENTSON 1	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	SIMMONS 2	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		BENTSON 2	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	SIMMONS 3	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		BENTSON 3	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	SIMMONS 4	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		MANI	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	Pulmonary artery	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		RENAL DOUBLE CURVE	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	STRAIGHT CATHETERS	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		MIKAELSSON	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	RUC	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		SHEPHERD HOOK 0.8	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	REUTER	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		SHEPHERD HOOK 1.0	4F, 5F, 6F, 7F 60/65/80/90/100/110/125
	Single Curve	4F, 5F, 6F, 7F 60/65/80/90/100/110/125		VERTEBRAL	4F, 5F, 6F, 7F 60/65/80/90/100/110/125

Distributor in Czech Republic:

Endolab vascular s.r.o.

Add: Sokolovská, 428/130, Praha 8 - Karlín, 186 00, Czech Republic

Tel: +420 722 501 700, +420 723 833 454

Web: www.endolaba.com

Email: endolaba@gmail.com

Zhejiang Barty Medical Technology Co.,Ltd

Add:South 2F,Building 2-1,No.20 Street,ETDZ,Hangzhou,Zhejiang,China

Tel:0571-88373719

Fax:0571-88373716

Web: www.vascularbarty.com // www.bartymedical.com

Email: info@bartymedical.com

 BARTYMEDICAL®

CE₀₁₂₃

PENTY™
Angiography Catheter




PENTY™

Angiography Catheter



Wide Inner Lumen

Wide inner lumen, ensuring high efficiency flowing of contrast agent.



Stainless Steel Braided Net

Unique stainless steel braided net provides excellent 1:1 torsion control and kink resistance.



Smooth Outer Wall

Tubing outer wall polished to be smooth, allowing good propelling and trafficability.

Smooth Transition of Three-segment Design

Distal end: soft and mild, with excellent radiopacity;
Remote end: Optimize softness of the head, ensuring gentleness of operation and coaxality of blood vessel;
Body: Hard but submissive, ensuring an exact torsion transmission

Application

This product is used to inject radiographic media for peripheral vascular system during interventional operation.